

# Barristo Enterprises, Inc., dba SureHold®

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Identifier Plastic Surgery Super Gel, SH-304

#### Relevant identified uses of the substance or mixture and uses advised against

Intended Use: Cyanoacrylate Adhesive

#### Details of the supplier of the safety data sheet

Barristo Enterprises, Inc. dba SureHold  
3717 N Ravenswood Avenue, Suite 243  
Chicago, IL 60613  
Email: [info@surehold.com](mailto:info@surehold.com)  
Website: [www.surehold.com](http://www.surehold.com)  
Phone: 773-472-8592; Toll Free 800-881-4495  
Fax: 773-535-1750

#### 24 Hour Emergency telephone number

Emergency Tel: 800-881-4495

#### Email address

[information@surehold.com](mailto:information@surehold.com)

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture


#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**NOTE:** This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Skin corrosion/irritation	Category 2
Serious eye damage/ eye irritation	Category 2
Specific target organ toxicity-single exposure	Category 3

#### Label elements:

<b>Hazard pictogram:</b>	
<b>Single word:</b>	Warning
<b>Emergency Overview:</b>	Causes skin irritation Causes serious eye irritation May cause respiratory irritation Combustible liquid Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

**Precautionary Statement -**

Wash face, hands and any exposed skin thoroughly after handling

<b>Prevention</b>	Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fumes/gas/mist/vapor/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. No smoking Keep cool
<b>Precautionary Statement - Response</b>	Specific treatment (see supplemental first aid instructions on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs; get medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. In case of fire: Use CO2, dry chemical, or foam for extinction.
<b>Precautionary Statement - Storage</b>	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
<b>Precautionary Statement - Disposal</b>	Dispose of contents/container to an approved waste disposal plant.

**Other hazards:**

None if used properly.

**3. COMPOSITION / INFORMATION ON INGREDIENTS****General chemical description:** Cyanoacrylate Adhesive**Base substances of preparation:** Cyanoacrylate

Chemical Name	CAS-No	EINECS Number Index Number REACH-Reg No.	Weight - %
Ethyl-2-cyanoacrylate	7085-85-0	230-391-5 607-236-00-9 01-2119527766-29-0002	>90-<100% *
Thickener	Proprietary	Proprietary	>1-<10%

\* The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES****Description of first aid measures**

General advice	If symptoms persist, call a physician.
Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Skin contact:	IF ON SKIN: Wash with soap and water. Allow warm water to penetrate the bond and gently attempt to remove bonded areas without pulling the skin away from bonded area. If skin irritation persists, call a physician.
Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. If eye irritation persists, Get medical advice/attention.
Ingestion:	Not an expected route of exposure. Ensure that breathing passages are not obstructed. The product will polymerize immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth.

Self-protection of the first aider: Use personal protective equipment as required.

### **Most important symptoms and effect, both acute and delayed**

May cause allergic or asthma symptoms or breathing difficulties if inhaled.

Eye: Irritation, conjunctivitis.

Skin: Redness, inflammation.

Respiratory: Irritation, coughing, shortness of breath, chest tightness.

### **Indication of any immediate medical attention and special treatment needed**

In the case of lung irritation: Primary treatment using corticoide spray, e.g. Auxilason spray, Pulmicort-dosage-spray. (Auxilason and Pulmicort are registered trademarks.)

## **5. FIRE FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, dry powder, carbon dioxide, water spray jet

Unsuitable extinguishing media: High volume water jet.

### **Special hazards arising from the substance or mixture**

Keep product and empty container away from heat and sources of ignition.

### **Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### **Advice for firefighters**

In case of fire and/or exposure do not breathe fumes. Firefighters should wear positive pressure self-contained breathing apparatus (SCBA). Firefighting operations, rescue and cleaning work under effect of combustion and smolder gases may be done with breathing apparatus. Dispose of contaminated extinction water according to official regulations.

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel: Use personal protective clothing. Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

For emergency responders: Ensure adequate ventilation. Avoid contact with eyes or skin.

### **Environmental precautions**

If leakage occurs, dam up. Resolve leaks, if possible, without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities.

### **Methods and material for containment and cleaning up**

Do not use cloth for clean-up. Flood with water to complete polymerization and scrape up the polymer. Solid material can be disposed as non-hazardous waste.

### **Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mists. Wash thoroughly after handling. Avoid contact with fabric and paper goods. Contact with these may cause polymerization that can generate smoke and strong irritating vapors, and can cause thermal burns.

Advice on general occupational hygiene: Wash hands and face before eating.

### **Conditions for safe storage, including and incompatibilities**

Keep in a cool, well-ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready to use. Incompatible products: Do not store together with alkalis, water, alcohols, amines.

**Incompatible materials**

Water, Alcohols, Amines, Alkalis

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDHL
Ethyl-2-cyanoacrylate 7085-85-0	TWA: 0.2 ppm	----	----

*NIOSH IDHL Immediately Dangerous to Life or Health***Exposure controls**

Appropriate Engineering Controls:	Ventilation systems. Eyewash stations. Showers.
Individual protection measures	Keep away from food stuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin
General protective and hygienic measures	
Eye/Face protection	Safety glasses with side shields or chemical splash goggles.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If there is a potential to exceed exposure limits, use an approved respirator.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.
Environmental exposure controls	Do not empty into drains or the aquatic environment.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

Physical state:	Gel
Appearance:	Slightly cloudy, colorless to yellowish colored gel
Odor:	Sharp, irritating
Odor threshold	Not available.
pH:	Not applicable.
Melting point/freezing point:	-22°C
Initial boiling point and boiling range:	>200°C
Flash point	80-93.4°C (Method: Tag closed cup)
Evaporation rate (Butyl acetate = 1):	Not available.
Flammability:	Not available.
Upper flammability limit:	Not available.
Lower flammability limit:	Not available.
Vapor Pressure (25°C):	Less than 0.2 mmHg
Vapor Density (Air=1):	Approximately 3
Relative Density:	1.1g/cm <sup>3</sup>
Solubility:	Polymerizes in the presence of water.
Partition coefficient:	Not applicable.
Auto-ignition temperature:	485°C
Decomposition temperature:	Not applicable.
Viscosity	150000-200000 cps. (T-C bar)
Explosive properties:	Product is not explosive.
Oxidizing properties:	Product is not oxidizing.

**Other information**

Specific gravity: 1.10 (25°C)  
VOC content: Less than 2%; 20g/l (California SCAQMD Method 361B)

**10. STABILITY AND REACTIVITY****Reactivity**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis, oxidizing agents, alcohols.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

Danger of polymerization. Polymerization with evolution of heat.

**Conditions to avoid**

Spontaneous polymerizations. Excessive heat.

**Incompatible materials**

Water, amines, alkalis, oxidizing agents and alcohols.

**Hazardous decomposition products**

Carbon monoxide and carbon dioxide. Nitrous oxides (NOx).

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

**Inhalation** May cause irritation of respiratory tract  
**Eye contact** Contact with eyes may cause irritation. May cause redness and tearing of the eyes.  
**Skin contact** Will bond to skin.  
**Ingestion** Ingestion may cause irritation to mucous membranes.

**Acute toxicity:**

Chemical Name CAS-No	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl-2-cyanoacrylate 7085-85-0	>5000mg/kg (Rat)	>2000mg/kg (Rabbit)	----

**Information on toxicological effects**

**Symptoms** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available  
**Germ cell mutagenicity** No information available  
**Carcinogenicity** According to NTP, OSHA and IARC, the substance is not carcinogen.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

99.91% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

**Persistence and degradability**

No information available.

**Bioaccumulative potential**

No information available.

**Mobility in soil**

No information available.

**Other adverse effects**

No information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container
US EPA Waste Number	Not applicable
Special precautions:	Not available.

**14. TRANSPORT INFORMATION**

<b>DOT</b>	<b>Proper shipping name</b>	Not regulated
<b>IATA</b>	<b>Proper shipping name</b>	Aviation Regulated Liquid, N.O.S. (Cyanoacrylate Ester)
	<b>UN/ID No.:</b>	UN 3334
	<b>Hazardous Class:</b>	9
	<b>Packaging Group:</b>	None
<b>IMGD</b>	<b>Proper shipping name</b>	Not regulated

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

**Legend:**

TSCA – United States Toxic Substance Control Act Section 8(b) Inventory  
 DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS – European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS – Japan Existing and New Chemical Substances  
 IECSC – China Inventory of Existing Chemical Substances  
 KECL – Korean Existing and Evaluated Chemical Substances  
 PICCS – Philippines Inventory of Chemicals and Chemical Substance  
 AICS – Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 313/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No

## SUREHOLD® Plastic Surgery Super Gel

Revision 2  
Revision Date 03-Oct-2015

Fire Hazard Yes  
Sudden Release of Pressure Hazard No  
Reactive Hazard No

### **CWA (Clear Water Act)**

This product does not contain any substances regulated a pollutants pursuant to the Clear Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, contains one or more substances regulated as hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Now Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL-2-CYANOACRYLATE 7085-85-0	X	---	---

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

### **WHMIS Hazard Class**

B3 – Combustible liquid, D2B – Toxic materials

## **16. OTHER INFORMATION**

NFPA	Health hazards 2	Flammability 2	Instability 1	---
HMIS	Health hazards 2	Flammability 2	Physical hazards 1	Personal protection B

NFPA (National Fire Protection Association)  
HMIS (Hazardous Material Information System)

Further information This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. Substances have been classified in accordance with Regulation (EC) 1272/2008 (CLP).