

Barristo Enterprises, Inc., dba SureHold®

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Identifier Rear View Mirror Adhesive, Part A - Adhesive (SH) 340

Relevant identified uses of the substance or mixture and uses advised against

Intended Use: Adhesive

Details of the supplier of the safety data sheet

Barristo Enterprises, Inc. dba SureHold
3717 N Ravenswood Avenue, Suite 243
Chicago, IL 60613
Email: info@surehold.com
Website: www.surehold.com
Phone: 773-472-8592; Toll Free 800-881-4495
Fax: 773-535-1750

24 Hour Emergency telephone number

Emergency Tel: 800-881-4495

Email address

information@surehold.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Health	Skin Corrosion	Category 1B
	Skin Sensitization	Category 1
	Target Organ Toxicity (Single Exposure)	Category 3

Label elements:

Hazard pictogram:



Single word:

DANGER

Emergency Overview:

Causes severe skin burns and eye damage.
May cause allergic skin reaction.
May cause respiratory irritation.

Precautionary Statement - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash skin and hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash contaminated clothing before reuse.

Precautionary Statement - Response

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a poison center if you feel unwell.
IF ON SKIN (or hair): Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs; Get medical advice/attention.
IF INHALED: Remove to fresh air and keep at rest in position comfortable for breathing.

**Precautionary Statement –
Storage**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Precautionary Statement –
Disposal**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of in a manner consistent with federal, state and local regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

General chemical description: Adhesive

Chemical Name	CAS-No	Weight - %
2-Hydroxyethyl Methacrylate	868-77-9	20-40%
Proprietary Alkyd resins		30-60%
2-Propenoic acid	79-10-7	5-10%
Saccharin	81-07-2	1-3%
Cumene Hydroperoxide	80-15-9	<1%
Silica, Amorphous, Fumed	67762-90-7	<1%

4. FIRST AID MEASURES**Description of first aid measures**

General advice	If symptoms persist, call a physician.
Inhalation:	IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	IF ON SKIN: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.
Eye contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion:	Do not induce vomiting. Get immediate medical attention and show container label.
Signs and Symptoms of Overexposure:	EYES: Causes eye irritation. SKIN: Causes skin irritation. Allergic reactions are possible. SKIN ABSORPTION: No data available on this product. INGESTION: Mildly to moderately irritating. INHALATION: Mildly to moderately irritating. ACUTE EFFECTS: Irritating to skin. May cause allergic skin reaction with prolonged contact. CHRONIC EFFECTS: May cause skin sensitization.

5. FIRE FIGHTING MEASURES

Flammable Class:	Not flammable.
Extinguishing media:	Use alcohol foam, carbon dioxide or water spray when fighting fires involving this material.
Hazardous Combustion Products:	Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.
Explosion Hazards:	Use water spray to cool containers.
Advice for firefighters:	As in any fire, wear self-contained breathing apparatus pressure demand (MSHA/NIOSH approved or equivalent) and full protective gear.
Fire Explosion:	Containers may rupture violently under fire temperatures. Cool containers with water if exposed to fire conditions.
Sensitive to Static Discharge:	No data available on this product.
Sensitivity to Impact:	No data available on this product.
Hazardous Decomposition Products:	Carbon Monoxide, carbon dioxide and unknown fumes.

6. ACCIDENTAL RELEASE MEASURES

Small Spill: Absorb liquid and place in sealed container for disposal.
Large Spill: Contain spill with dike to prevent entry into sewers. Absorb liquid and place in sealed container for disposal.

Environmental Precautions

Water Spill: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.
Land Spill: Avoid runoff into storm sewers and ditches which lead to waterways.
Air Spill: No data available on this product

Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

7. HANDLING AND STORAGE

General Procedures: Use with adequate ventilation. Avoid contact with eyes, skin and clothing.
Handling: Avoid contact with skin and eyes. Wash thoroughly after handling.
Storage: Store in a cool place in original container and protect from sunlight. Keep away from sources of ignition. Suggested storage conditions: Less than 77°F/25°C. Protect from freezing.
Comments: Loading Temperature: No data available on this product.
 Loading/Unloading Viscosity: No data available on this product.
 Storage Pressure: No data available on this product.
 Electrostatic Accumulation Hazard: No data available on this product.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	Other
Hydroxyalkyl methacrylate	None	None	3 ppm STEL
Proprietary alkyd resins	None	None	None
2-Propenoic acid	2 ppm TWA (skin)	10 ppm (skin)	None
Saccharin	None	None	None
Cumene hydroperoxide	Non	None	AIHA WEEL = 1 ppm TWA
Silica, Amorphous, fumes	10 mg/m ³	6 mg/m ³	None

Exposure controls

Eye/Face protection For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin and body protection Vinyl or rubber gloves. Wear protective clothing. Launder contaminated clothing before reuse.
Respiratory: If ventilation is not adequate, wear NIOSH approved respiratory protection.
Other Use Precautions: Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state: Liquid
Appearance: Dark amber
Odor: Characteristic odor, intensely irritating.
Odor threshold No data available on this product.
pH: No data available on this product.

Melting point/freezing point:	No data available on this product.
Initial boiling point and boiling range:	>149°C (300°F)
Flash point	>93°C (200°F) Method: Pensky-Martens CC
Evaporation rate (Butyl acetate = 1):	No data available on this product.
Flammability:	
Upper flammability limit:	No data available on this product.
Lower flammability limit:	No data available on this product.
Vapor Pressure:	< 5 mmHg at 27°C (80°F)
Vapor Density (Air=1):	Not established.
Solubility:	Slight
Partition coefficient:	N-Octanol/Water: No data available on this product.
Auto-ignition temperature:	No data available on this product.
Decomposition temperature:	No data available on this product.
Viscosity	No data available on this product.

Other information

Specific gravity:	1.06
VOC content:	<3.00%

10. STABILITY AND REACTIVITY**Reactivity**

Yes.

Hazardous Polymerization

No.

Chemical stability

Stable.

Possibility of hazardous reactions

Hazardous reactions are possible when exposed to incompatible materials.

Conditions to avoid

Avoid temperatures exceeding 100°F / 38°C and incompatible materials.

Incompatible materials

Strong acids and alkalis, reactive metals and strong oxidizing agents

Hazardous decomposition products

Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.

11. TOXICOLOGICAL INFORMATION**Acute toxicity:**

Chemical Name	IARC	NTP	OSHA carcinogen	Oral LD50	Dermal LD50	Inhalation LC50	Health Effect/ Target Organs
Hydroxyalkyl methacrylate	No	No	No	No	No	No	Irritant, allergen/ respiratory, skin
Proprietary alkyd resins	No	No	No	No	No	No	Irritant, allergen/ respiratory, skin
2-Propenoic acid	No	No	No	33.5 mg/kg (Rat)	1200 mg/L (4 hr) (Rat)	No	Allergen, corrosive, irritant / skin, kidney, liver
Saccharin	No	No	No	No	No	No	No data

SUREHOLD® Rear View Mirror Adhesive

Revision 3
Revision Date 10-June-2016

Cumene hydroperoxide	Cumene= Grp. 2B	No	No	No	No	No	Allergen, corrosive, irritant / skin, respiratory
Silica, amorphous, fumed	No	No	No	No	No	No	Irritant

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Eye Effects: Moderately irritating to eyes and skin.
Skin Effects: Irritating to skin. May cause allergic skin reaction with prolonged contact.
Chronic: Repeated exposure may cause skin sensitization.
Subchronic: No data available on this product.
Carcinogenicity: Notes: See chart – Acute notes.
Irritation: May cause eye irritation, skin irritation and irritation of respiratory tract.
Corrosivity: May cause severe skin burns and eye damage with direct or prolonged contact.
Sensitization: May cause sensitization by skin contact.
Neurotoxicity: No data available on this product.
Genetic Effects: No data available on this product.
Reproductive Effects: No data available on this product.
Target Organs: See chart – Acute notes.
Teratogenic Effects: No data available on this product.
Mutagenicity: No data available on this product.

12. ECOLOGICAL INFORMATION

Environmental Data: Use precautions to avoid release to sewers/drains/surface water and soil.
Ecotoxicological Information: No data available on this product.
Bioaccumulation/Accumulation: No data available on this product.

13. DISPOSAL CONSIDERATIONS

Disposal of wastes Dispose of in a manner consistent with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Proper shipping name: Not regulated.
IATA Proper shipping name: Not regulated.
IMGD Proper shipping name: Not regulated.

15. REGULATORY INFORMATION

United States

SARA 313/312 Hazard Categories

Fire	No
Pressure Generating	No
Reactivity	No
Acute	Yes
Chronic	Yes

SUREHOLD® Rear View Mirror Adhesive

Revision 3
Revision Date 10-June-2016

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 – Threshold Values %
2-Propenoic acid – 79-10-7	5 - 10%
Saccharin – 81-07-02	1 - 3 %

CERCLA

Chemical Name	Wt. %	CERCLA RQ
2-Propenoic acid – 79-10-7	5 - 10%	5,000
Saccharin – 81-07-02	1 - 3 %	100
Cumene Hydroperoxide	<1%	10

TSCA

Chemical Name	CAS
2-Hydroxyethyl Methacrylate	868-77-9
2-Propenoic acid	79-10-7
Saccharin	81-07-02
Cumene Hydroperoxide	80-15-9

TSCA Regulatory: All chemical substance in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Legend:

SARA – Superfund Amendments and Reauthorization Act
CERCLA – Comprehensive Response, Compensation, and Liability Act
TSCA – United States Toxic Substance Control Act Section 8(b) Inventory

US State Regulations

California Proposition 65

This product contains a chemical(s) known to the state of California to cause cancer and birth defects or other reproductive harm. Cumene hydroperoxide (CAS 80-15-9), 1-3%

CANADA

WHMIS Hazard Symbol and Classification



Corrosive



Toxic

WHMIS CLASS: Class E, D2B

16. OTHER INFORMATION

NFPA	Health hazards 2	Flammability 1	Instability 1	---
HMIS	Health hazards 2	Flammability 1	Physical hazards 1	Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Further information This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. Substances have been classified in accordance with Regulation (EC) 1272/2008 (CLP).

Barristo Enterprises, Inc., dba SureHold®**SAFETY DATA SHEET****1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY**

Product Identifier Rear View Mirror Adhesive, Part B - Activator (SH) 340

Relevant identified uses of the substance or mixture and uses advised against

Intended Use: Activator

Details of the supplier of the safety data sheet

Barristo Enterprises, Inc. dba SureHold
3717 N Ravenswood Avenue, Suite 243
Chicago, IL 60613
Email: info@surehold.com
Website: www.surehold.com
Phone: 773-472-8592; Toll Free 800-881-4495
Fax: 773-535-1750

24 Hour Emergency telephone number

Emergency Tel: 800-881-4495

Email address

information@surehold.com

2. HAZARDS IDENTIFICATION**Classification of the substance or mixture**

Health	Skin Irritation	Category 2
	Eye Irritation	Category 2
	Target Organ Toxicity (Single Exposure)	Category 3
Physical	Flammable Liquids	Category 2

Label elements:**Hazard pictogram:****Single word:** DANGER

Emergency Overview: Highly flammable liquid and vapor.
May be harmful if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary Statement - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources – No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.

Precautionary Statement – Response

Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash skin and hands thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs; Get medical attention.
 IF INHALED: Remove person to fresh air and keep at rest in position comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
 Call a Poison Center or doctor/physician if you feel unwell.
 Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
 Dispose of in a manner consistent with federal, state and local regulations.

Precautionary Statement – Storage**Precautionary Statement – Disposal****3. COMPOSITION / INFORMATION ON INGREDIENTS****General chemical description:** Activator Ampule Acetone

Chemical Name	CAS-No	Weight - %
Acetone	67-64-1	80-100%
Benzene	71-43-2	≤0.003%

4. FIRST AID MEASURES**Description of first aid measures**

General advice: If symptoms persist, call a physician.

Inhalation: IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Skin contact: IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

Eye contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion: IF SWALLOWED: Do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

Signs and Symptoms of Overexposure: EYES: Symptoms may include tearing along with a severe burning sensation. Permanent damage to eye tissue likely if material is not removed quickly.
 SKIN: Contact causes skin irritation.
 SKIN ABSORPTION: No data available on this product.
 INGESTION: Aspiration hazard. If swallowed, vomiting may occur spontaneously, but do not induce. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Call a physician immediately.
 INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.
 ACUTE EFFECTS: Irritating to eyes, respiratory system and skin.
 CHRONIC EFFECTS: Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation or dermatitis (rash).

5. FIRE FIGHTING MEASURES**General Hazard:** Flammable liquid and vapor.

- Extinguishing media:** Use alcohol foam, carbon dioxide or water spray when fighting fires involving this material.
- Hazardous Combustion Products:** Combustible by products of carbon monoxide and dioxide.
- Explosion Hazards:** Containers may rupture violently under fire temperatures. Cool containers with water if exposed to fire conditions.
- Advice for firefighters:** Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.
As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fire Explosion:** Product is Flammable. Respiratory protection required for firefighters. Stay upwind from fire if possible when fire-fighting.
- Sensitive to Static Discharge:** Electrostatic charges may be generated during pumping. Ground all containers.
- Sensitivity to Impact:** No data available on this product.
- Hazardous Decomposition Products:** Combustible by-products of carbon monoxide/dioxide.

6. ACCIDENTAL RELEASE MEASURES

- Small Spill:** Absorb liquid and place in sealed container for disposal. Vapors can travel to an ignition source.
- Large Spill:** Remove all sources of ignition. Use spark-proof tools. Contain spilled liquid with sand and earth. DO NOT use combustible materials such as sawdust. Absorb liquid and place in sealed container for disposal. Vapors can travel to an ignition source.
- Environmental Precautions**
- Water Spill:** Contain spill with dike to prevent entry into sewers. Absorb liquid and place in sealed container for disposal.
- Land Spill:** Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.
- Air Spill:** No data available on this product.
- General Procedures:** Remove all sources ignition. Use spark-proof tools.
- Special Protective Equipment:** Wear a self-contained breathing apparatus and appropriate personal protective equipment.

Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

7. HANDLING AND STORAGE

- General Procedures:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing.
- Handling:** Use with sufficient ventilation to keep exposure below recommended limits. Provide adequate ventilation for storage, handling and use, especially for enclosed or low spaces. Avoid contact of liquid with eyes and prolonged skin exposure. Do not allow product to contact open flame or electrical heating elements because dangerous decomposition products may form.
- Storage:** Store in a cool place in original container and protect from sunlight. Keep away from sources of ignition. Avoid temperatures exceeding 100°F/38°C and incompatible materials.
- Comments:** Loading Temperature: No data available on this product.
Loading/Unloading Viscosity: No data available on this product.
Special Sensitivity: None known.
Electrostatic Accumulation Hazard: Take measures to prevent the buildup of electrostatic charge.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	Other
Acetone	500 ppm; 750 mg/m ³ TWA	1000 ppm; 2400 mg/m ³ TWA	N/L

Benzene	0.5% ppm TWA; 2.5 STEL	1% ppm TWA; 5 ppm STEL	N/L
---------	------------------------	------------------------	-----

Personal Protective Equipment

Eye/Face protection	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin and body protection	Nitrile rubber and PVC are not suitable protective materials. Neoprene is recommended. Wear suitable protective clothing and gloves.
Respiratory:	NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.
Other Use Precautions:	Wash with soap and water. Get medical attention if irritation develops or persists.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state:	Liquid
Appearance:	Blue-green
Odor:	Alcohol odor
Odor threshold	No data available on this product.
pH:	No data available on this product.
Melting point/freezing point:	No data available on this product.
Initial boiling point and boiling range:	56°C (133°F)
Flash point	-18°C (-0.4°F) Method: IP 170
Evaporation rate (Butyl acetate = 1):	No data available
Flammable Limits:	2.6% to 12.8%
Upper flammability limit:	No data available on this product.
Lower flammability limit:	No data available on this product.
Vapor Pressure:	24.7 kPa at 20°C (68°F)
Vapor Density (Air=1):	No data available
Solubility:	Completely miscible
Partition coefficient:	N-Octanol/Water: No data available on this product.
Auto-ignition temperature:	No data available on this product.
Decomposition temperature:	No data available on this product.
Viscosity	0.33 mPa. S. at 20°C (68°F)

Other information

Specific gravity:	0.79 g/mL at 25°C
VOC content:	Acetone VOC is exempt per 40 CFR Part 51

10. STABILITY AND REACTIVITY**Hazardous Polymerization**

No.

Chemical stability

Stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

Heat, flames, ignition sources and incompatible materials.

Incompatible materials

Strong acids and alkalis, reactive metals and strong oxidizing agents.

Hazardous decomposition products

Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.

11. TOXICOLOGICAL INFORMATION**Acute toxicity:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	5800 mg/kg (Rat)	7426 mg/kg (Rabbit)	50100 mg/kg (Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin Corrosion/** No data available on this product.**Irritation:****Serious Eye Damage/** May cause eye irritation, skin irritation and irritation of respiratory tract.**Irritation:****Respiratory or Skin** No data available on this product.**Sensitization:****Germ Cell** No data available on this product.**Mutagenicity:****Carcinogenicity:** Notes: See chart – acute notes.**Reproductive Effects:** No data available on this product.**STOT – Single****Exposure:**

Inhalation may cause temporary dizziness, headache, possible nausea. Symptoms normally disappear when exposure ceases. Eye/skin contact may cause discomfort by defatting action of solvents.

STOS – Repeated**Exposure:**

No data available on this product.

12. ECOLOGICAL INFORMATION**Environmental Data:** No data available on this product.**Ecotoxicological Information:** No data available on this product.**Bioaccumulation/Accumulation:** No data available on this product.**13. DISPOSAL CONSIDERATIONS****Disposal of wastes** Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.**Comments** Dispose of following all local authority requirements for disposal.**14. TRANSPORT INFORMATION****DOT****UN/ID No.:** UN1090**Proper shipping name:** Acetone**Hazardous Class:** 3**Packaging Group:** II**IATA****UN/ID No.:** UN1090**Proper shipping name:** Acetone**Hazardous Class:** 3

IMGD

Packing Group: II

UN/ID No.: UN1090

Proper shipping name: Acetone

Hazardous Class: 3

Packaging Group: II

15. REGULATORY INFORMATION

United States

SARA TITLE III (Superfund Amendments and Reauthorization Act)

Fire	Yes
Pressure Generating	No
Reactivity	No
Acute	Yes
Chronic	No

CERCLA (Comprehensive Response, Compensation and Liability Act)

Chemical Name	Wt. %	CERCLA RQ
Acetone	80 – 100%	5,000
Benzene	≤ 0.003%	10

TSCA (Toxic Substance Control Act)

Chemical Name	CAS
Benzene	71-42-2

TSCA Regulatory: All chemical substance in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Legend: SARA – Superfund Amendments and Reauthorization Act
TSCA – United States Toxic Substance Control Act Section 8(b) Inventory

US State Regulations

California Proposition 65

This product contains a chemical(s) known to the state of California to cause cancer and birth defects or other reproductive harm.

GENERAL COMMENTS:

Pennsylvania Right To Know: Acetone (CAS 67-64-1)
New Jersey Right To Know: Acetone (CAS 67-64-1)

16. OTHER INFORMATION

NFPA	Health hazards 1	Flammability 3	Instability 1	---
HMIS	Health hazards 1	Flammability 3	Physical hazards 0	Personal protection

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Further information This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. Substances have been classified in accordance with Regulation (EC) 1272/2008 (CLP).